

# D-Worm™ Tasty Paste®

(piperazine adipate)

## Puppy & Dog Dewormer

For oral use in puppies & dogs - contents will treat up to 90 lbs. body weight. Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.

**DOSAGE:** 30 mg piperazine per lb. body weight.

**INDICATIONS:** For removal of large Roundworms (*ascaris*) (*Toxocara canis* and *Toxocaris leonina*) in puppies and adult dogs.

**ACTIVE:** Piperazine (from Adipate) 2.70 g (20.8%)

**DIRECTIONS:** Remove cap from nozzle. Push plunger just enough to fill nozzle. Turn the knurled wheel on the plunger so that the side nearest the barrel is at the weight marking corresponding to the weight of the dog. Add to the feed or insert as far back in dog's mouth as possible. Press the plunger down as far as it will go. For animals up to 1 year of age, administer every 2 or 3 months; for animals over 1 year old, administer periodically as necessary. A repeat treatment should be given in 10 to 20 days to remove immature roundworms which may have entered the intestine from the lungs after the first dose. Laboratory fecal examinations should always be done to determine the need for treatment.

### PRECAUTIONS

Although Piperazine is a drug with a wide margin of safety, occasionally an animal may show nausea, or muscular tremors. Such side effects are usually associated with overdosage. Therefore, recommended dosages should be followed carefully. Animals with known kidney pathology should be treated only by a veterinarian.

### STORE OUT OF DIRECT SUNLIGHT.

Do Not Use on Sick or Debilitated Dogs.

Keep Out of Reach of Children - Not for Human Use



Manufactured for:

**Farnam Pet Products**

A Division of Farnam Companies, Inc.

P.O. Box 34820 • Phoenix, AZ 85067-4820

For information or comments, call 1-800-234-2269

Visit our Web site at [farnampet.com](http://farnampet.com)

NET WEIGHT: 0.46 OZ (13 grams)



Product Code: 2012 RM#: 2008932

©2007 Farnam Companies, Inc. 07-1587

# D-Worm™ (piperazine adipate) Tasty Paste®

PMS 284

Reflex Blue

## Large Roundworms Paste for Puppies & Dogs



Easy to administer –

In the feed



or in the mouth



## Puppy & Dog Dewormer

For Removal of **Large Roundworms** (Ascarids)

- *Toxocara canis*
- *Toxascaris leonina*

Contents will treat up to 90 lbs. of body weight. NET WEIGHT: 0.46 OZ (13 grams)

**Beef Flavored** For oral use in puppies and dogs



# D-Worm™

**D-Worm™**  
(piperazine adipate)  
**Tasty Paste®**

Large  
**Roundworms**  
Paste  
for Puppies & Dogs



## Puppy & Dog Dewormer

For Removal of  
**Large Roundworms**  
(Ascarids)


- *Toxocara canis*
- *Toxascaris leonina*

**Beef Flavored**  
For oral use in  
puppies and dogs



Contents will treat up to  
90 lbs. of body weight.

NET WEIGHT:  
0.46 OZ  
(13 grams)



**PRECAUTIONS**  
Although Piperazine is a drug with a wide margin of safety, occasionally an animal may show nausea, or muscular tremors. Such side effects are usually associated with overdose. Therefore, recommended dosages should be followed carefully. Animals with known kidney pathology should be treated only by a veterinarian.

In the feed



or in the mouth



**CENTRAL**  
Garden & Pet

Manufactured For:  
**FARNAM**  
Farnam Pet Products  
Division of Farnam Companies, Inc.  
P.O. Box 34820 • Phoenix, Arizona 85067-4820  
Product Code: 2013 RM#: 2008931  
©2007 Farnam Companies, Inc.  
Printed in U.S.A. 07-1172

For oral use in puppies and dogs - contents will treat up to 90 lbs. of body weight  
Consult your veterinarian for assistance in the diagnosis, treatment and control of  
parasitism.  
**INDICATIONS:** For removal of Large Roundworms (ascarids) (*Toxocara canis* and *Toxascaris leonina*)  
in puppies and adult dogs.  
**DOSEAGE:** 30 mg piperazine per 1 lb. of body weight.  
**DIRECTIONS:** Remove cap from nozzle. Push plunger just enough to fill nozzle. Turn the knurled wheel on the plunger so that the barrel is at the weight marking corresponding to the weight of the dog. Add to the feed or insert as far back in dog's mouth as possible. Press the plunger down as far as it will go. For animals up to 1 year of age, administer every 2 or 3 months; for animals over 1 year old, administer periodically as necessary. A repeat treatment should be given in 10 to 20 days to remove immature roundworms which may have entered the intestine from the lungs after the first dose. Laboratory fecal examinations should always be done to determine the need for treatment.  
**ACTIVE:** Piperazine (from Adipate) 2.70 g (20.8%)  
**DIRECTIONS:** Remove cap from nozzle. Push plunger just enough to fill nozzle. Turn the knurled wheel on the plunger so that the barrel is at the weight marking corresponding to the weight of the dog. Add to the feed or insert as far back in dog's mouth as possible. Press the plunger down as far as it will go. For animals up to 1 year of age, administer every 2 or 3 months; for animals over 1 year old, administer periodically as necessary. A repeat treatment should be given in 10 to 20 days to remove immature roundworms which may have entered the intestine from the lungs after the first dose. Laboratory fecal examinations should always be done to determine the need for treatment.

**D-Worm™**  
(piperazine adipate)  
**Tasty Paste®**  
Puppy & Dog Dewormer

# D-Worm™ Tasty Paste®

(piperazine adipate)

## Puppy & Dog Dewormer

For oral use in puppies & dogs - contents will treat up to 90 lbs. body weight. Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.

**DOSAGE:** 30 mg piperazine per lb. body weight.

**INDICATIONS:** For removal of large Roundworms (*ascaris*) (*Toxocara canis* and *Toxocaris leonina*) in puppies and adult dogs.

**ACTIVE:** Piperazine (from Adipate) 2.70 g (20.8%)

**DIRECTIONS:** Remove cap from nozzle. Push plunger just enough to fill nozzle. Turn the knurled wheel on the plunger so that the side nearest the barrel is at the weight marking corresponding to the weight of the dog. Add to the feed or insert as far back in dog's mouth as possible. Press the plunger down as far as it will go. For animals up to 1 year of age, administer every 2 or 3 months; for animals over 1 year old, administer periodically as necessary. A repeat treatment should be given in 10 to 20 days to remove immature roundworms which may have entered the intestine from the lungs after the first dose. Laboratory fecal examinations should always be done to determine the need for treatment.

### PRECAUTIONS

Although Piperazine is a drug with a wide margin of safety, occasionally an animal may show nausea, or muscular tremors. Such side effects are usually associated with overdosage. Therefore, recommended dosages should be followed carefully. Animals with known kidney pathology should be treated only by a veterinarian.

### STORE OUT OF DIRECT SUNLIGHT.

Do Not Use on Sick or Debilitated Dogs.

Keep Out of Reach of Children - Not for Human Use



Manufactured for:

**Farnam Pet Products**

A Division of Farnam Companies, Inc.

P.O. Box 34820 • Phoenix, AZ 85067-4820

For information or comments, call 1-800-234-2269

Visit our Web site at [farnampet.com](http://farnampet.com)

NET WEIGHT: 0.46 OZ (13 grams)



Product Code: 2012 RM#: 2008932

©2007 Farnam Companies, Inc. 07-1587